

September 2024r

Enquiries: info@footweareducation.co.za

NEW!



UTILITY SB

STYLE NO. SFT007-4020

- Genuine buffalo leather upper
- Black only
- Shock absorbent dual density polyurethane sole unit
- Anti-slip outsole
- Oil resistant outsole
- Shock absorption heel
- Steel toe cap - 200 Joules

SIZE 3 - 13

NRCS 9002/288040/0542



200 JOULES
TOE CAP



SHOCK
ABSORBENT



OIL
RESISTANT



ANTI
SLIP

R

450



**SAFE FOOTING.
ON ANY GROUND.**



RAPTOR S1P

STYLE NO. SFT007-1001

- Genuine buffalo leather upper
- Steel toe cap - 200 Joules
- Shock absorbent dual density polyurethane sole unit
- Steel midsole to prevent sharp item penetration
- Oil Resistant Outsole
- Anti-slip outsole
- Anti-Static
- Padded collar for comfort
- Reflective strip for visibility
- Comfort innersole

SIZE 2 - 13 | Special sizes 14 - 16

NRCS/9002/288040/0011
EN ISO 20345:2011

Fully Certified & Approved

R100 surcharge for size 14 to 16



R 450



RAPTOR EX S1P


STYLE NO. SFT007-1101

- Smooth genuine leather upper
- Steel toe cap - 200 Joules
- Shock absorbent dual density polyurethane sole unit
- Steel midsole to prevent sharp item penetration
- Oil resistant outsole
- Anti-slip outsole
- Anti-Static
- Padded collar for comfort
- Reflective strip for visibility
- Comfort innersole

SIZE 3 - 13

NRCS/9002/288040/0011
EN ISO 20345:2011

Fully Certified & Approved



R 500



HAWK S1

STYLE NO. SFT007-1212

- Full-grain leather
- Steel toe cap - 200 Joules
- Shock absorbent dual-density polyurethane sole unit
- Oil resistant outsole
- Anti-slip outsole
- Anti-Static
- Comfort innersole
- Reflective safety tab on rear for extra visibility

SIZE 3 - 13

NRCS/9002/288040/0322
EN ISO 20345:2011

Fully Certified & Approved



R 600



VOLCANO S2

STYLE NO. SFT007-1105

- Genuine leather Barton print upper
- Steel toe cap - 200 Joules
- Shock absorbent dual density polyurethane sole unit
- Rubber outsole heat resistant up to 300° Celsius
- Outsole has Hot and cold insulation
- Water resistant upper
- Oil resistant outsole
- Anti-slip outsole
- Anti-Static

SIZE 3 - 13

NRCS/9002/288040/0157
EN ISO 20345:2011

Fully Certified & Approved



R 675



CHELSEA S1P

STYLE NO. SFT007-1008 (Black)
STYLE NO. SFT007-1006 (Choc)

- Available in choc and black
- Smooth genuine leather upper
- Steel toe cap - 200 Joules
- Shock absorbent dual density polyurethane sole unit
- Steel midsole to prevent sharp item penetration
- Oil resistant outsole
- Anti-slip outsole
- Anti-Static
- Light weight
- Comfort innersole

SIZE 3 - 13

NRCS/9002/288040/0095
EN ISO 20345:2011

Fully Certified & Approved



R 580



VELOCITY S1

STYLE NO. SFT007-1104

- Breathable light weight mesh upper
- Steel toe cap - 200 Joules
- Shock absorbent dual density polyurethane sole unit
- Oil resistant outsole
- Anti-slip outsole
- Anti-Static

SIZE 3 - 13

NRCS/9002/288040/0131
EN ISO 20345:2011

Fully Certified & Approved



R 600

September 2024

Enquiries: info@footweareducation.co.za



JACKAL BOOT SB

STYLE NO. SFT007-1007

- Genuine buffalo leather upper
- Steel toe cap - 200 Joules
- Shock absorbent dual density polyurethane sole unit
- Anti-slip outsole
- Padded collar for comfort
- Oil resistant outsole

SIZE 3 - 13

NRCS/9002/288040/0054
EN ISO 20345:2011
Fully Certified & Approved



JACKAL SHOE SB

STYLE NO. SFT007-1009

- Genuine buffalo leather upper
- Steel toe cap - 200 Joules
- Shock absorbent dual density polyurethane sole unit
- Anti-slip outsole
- Padded collar for comfort
- Oil resistant outsole

SIZE 2 - 13

NRCS/9002/288040/0029
EN ISO 20345:2011
Fully Certified & Approved



R 300



R 300



CELESTE SB

STYLE NO. SFT010-1002

- Ladies safety shoe
- Smooth genuine leather upper
- Steel toe cap - 200 Joules
- Shock absorbent dual density polyurethane sole unit
- Oil resistant outsole
- Anti-slip outsole
- Padded collar for comfort

SIZE 2 - 9

NRCS/9002/288040/0069
EN ISO 20345:2011
Fully Certified & Approved



CONDOR S1P

STYLE NO. SFT007-1002

- Genuine buffalo leather upper
- Steel toe cap - 200 Joules
- Shock absorbent dual density polyurethane sole unit
- Steel midsole to prevent sharp item penetration
- Oil resistant outsole
- Anti-slip outsole
- Anti-Static
- Padded collar for comfort
- Reflective strip for visibility

SIZE 3 - 13

NRCS/9002/288040/0017
EN ISO 20345:2011
Fully Certified & Approved



R 450



R 475

AGRICULTURAL FOOTWEAR



RIPSAW

STYLE NO. SFT007-3010

- Full grain leather
- Dual density Polyurethane sole unit
- Comfort inner sole

SIZE 5 - 13

R 975



HAMMER S1

STYLE NO. SFT007-3020 (Brown)
SFT007-3021 (Black)

- Full grain leather upper
- Dual density polyurethane sole unit
- Shock absorbent
- Slip resistant (SRC)
- Non-Metallic Composite toe cap - 200 Joules
- Anti-static
- Oil resistant
- Comfort innersole

SIZE 3 - 13

NRCS/9002/288040/0471
EN ISO 20345:2011
Fully Certified & Approved



R 990

September 2024r

Enquiries: info@footweareducation.co.za



REACTION SBP

STYLE NO. SFT007-1004

- Smooth genuine leather upper
- Steel toe cap - 200 Joules
- Comfort innersole
- Shock absorbent dual density polyurethane sole unit
- Steel midsole to prevent sharp item penetration
- Padded collar for comfort
- Oil resistant outsole
- Anti-slip outsole
- Light weight
- Breathable mesh on upper

SIZE 3 - 13

NRCS/9002/288040/0100
EN ISO 20345:2011
Fully Certified & Approved



R 675



KRONOS SB

STYLE NO. SFT007-1011

- Genuine Buffalo leather upper
- Steel toe cap - 200 Joules
- Shock absorbent dual density polyurethane sole unit
- Oil resistant outsole
- Anti-slip outsole
- Padded collar for comfort

SIZE 3 - 13

NRCS/9002/288040/0126
EN ISO 20345:2011
Fully Certified & Approved



R 500



PATRIOT

STYLE NO. SFT007-1113

- Genuine leather upper
- Dual density polyurethane sole unit
- Padded collar for comfort
- Light weight

SIZE 3 - 13

R 600



SENTRY

STYLE NO. SFT007-1012

- Exceptional value
- Polyester upper
- Shock absorbent polyurethane sole unit

SIZE 3 - 13

R 300



GUARDIAN

STYLE NO. SFT007-1201 (Black)
STYLE NO. SFT007-1211 (Brown)

- Available in black and brown
- Full grain genuine leather upper
- Dual density polyurethane sole unit
- Padded collar for comfort
- Light weight
- Comfort innersole

SIZE 3 - 13

R 800

September 2024r

Enquiries: info@footweareducation.co.za

SECURITY FOOTWEAR



TACTICAL

STYLE NO. SFT007-3020

- Full grain leather upper
- Rubber outsole for durability
- Padded collar for comfort
- EVA comfort midsole

SIZE 3 - 13

R 950

September 2024r

Enquiries: info@footweareducation.co.za

MOTOR INDUSTRY

NEW!



DISRUPTOR S1 ESD

STYLE NO. SFT001-4010

- Specifically for the Motor industry
- ESD electro-static discharge
- Rubber sole
- Ethyl Vinyl Acetate (EVA) midsole
- Non-Metallic Composite toe cap - 200 Joules

SIZE 3 - 13

NRCS 9002/288040/0541



COMPOSITE TOE CAP



SHOCK ABSORBENT



OIL RESISTANT



ANTI SLIP



ELECTROSTATIC DISCHARGE

R 800

